Su	pplemental
Notice	of Allowability

Application No.	Applicant(s)	
10/707,045	WEYERS ET AL.	
Examiner	Art Unit	
JOHN F. RAMIREZ	3737	

	JOHN F. RAMIREZ	3737	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGORY of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in or other appropriate communi GHTS. This application is stand MPEP 1308.	this application. If not include nication will be mailed in due	ed course. THIS
2. X The allowed claim(s) is/are <u>1-6, 9-15, 18-24 and 26</u> .			
 Acknowledgment is made of a claim for foreign priority un a)	been received. been received in Application uments have been received	n No in this national stage applica	
noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the re-	_f ullements
 A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give 			OTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson (a) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.) 	on's Patent Drawing Review Amendment / Comment or 84(c)) should be written on th	in the Office action of e drawings in the front (not the	e back) of
 each sheet. Replacement sheet(s) should be labeled as such in the DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F 	sit of BIOLOGICAL MATE	RIAL must be submitted. I	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 ☐ Notice of Inf	ormal Patent Application	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		mmary (PTO-413),	
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./ľ	Mail Date <u>20100122</u> . Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's 9. Other	Statement of Reasons for Allo	wance

SUPPLEMENTAL EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Thomas E. Donohue on January 22, 2010.

The application has been amended as follows:

IN THE CLAIMS:

Claim 26. A drivable imaging coil as set forth in claim [[7]] 1, wherein said plurality of capacitors is spread out along said axis so as to form said group coverage area.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN F. RAMIREZ whose telephone number is (571)272-8685. The examiner can normally be reached on (Mon-Fri) 7:00 - 3:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian L. Casler can be reached on (571) 272-4956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/707,045 Page 3

Art Unit: 3737

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BRIAN CASLER/ Supervisory Patent Examiner, Art Unit 3737

/J. F. R./ Examiner, Art Unit 3737